Index

Subjects

Acne excoriée, 163

Acne vulgaris, 194

treatment with 5% benzoyl peroxide and 2% miconazole, 357

Actinic folliculitis

response to isotretinoin, 69

Actinic reticuloid

flow cytometric study, 128

Acquired lipomatosis, 58

AIDS

Kaposi's sarcoma, 223

associated disseminated herpes zoster virus infection,

Alopecia

treatment with diphencyprone sensitization, 154 in the Hallerman-Strieff syndrome, 250

juvenile vs. maturity-onset, 429

2% topical minoxidil in treatment of male pattern baldness, 40

scanning electron microscopy, 47

Amoxycillin, 367

Androgen antagonist, 361

Anticardiolipin syndrome, 306

Aphthous ulcers

responding to etretinate, 330

Atopic eczema, 186

an electron-microscopic study 218 treatment with cyclosporin, 243 keratinocytes in lesional skin, 35

Atrophy

delled facial lesions, 173

AV fistula, 289

Behavioural therapy acne excoriée, 163

Behçet's syndrome colchicine therapy, 298

with GI-tract involvement, 459

with Sweet's-syndrome-like presentation, 20

Blood flow

blood flow measurements, 137, 286

corticosteroid-induced blood flow reduction, 210

Book Reviews

A Colour Atlas of AIDS and HIV Disease, 2nd edition. By C.F. Farthing, S.E. Brown and R.C.D. Staughton, 256

A Colour Atlas of Allergy. By W.F. Jackson and R.

Cerio, 257

Advances in Dermatology, Volume 3. Edited by J.P. Callan, M.V. Dahl, L.E. Golitz, L.A. Schachner and S.J. Stegman, 256

Atlas of Dermatopathology. By R.P. Rapini and R.E. Jordon, 257

Common Problems in Dermatology. Edited by K.E. Greer, 257

Current Therapy in Dermatology—2. Edited by T.T. Provost and E.R. Farmer, 256

Difficult Diagnoses in Dermatology. Edited by M. Lebwohl, 258

Essential Paediatric Dermatology. By J. Verbov, 405 Handbook of Leprosy, 4th edition. By W.H. Jopling and A.C. McDougall, 332

Leprosy for Medical Practitioners and Paramedical Workers. By R.H. Thangaraj and S.J. Yawalkar, 258 Low Level Laser Therapy. By T. Ohshiro and R.G.

Calderhead, 469

1987 Year Book of Dermatology. Edited by A.J. Sober and T.B. Fitzpatrick, 256

Pathogenesis of Leprosy and Related Diseases. By D. Ripley, 469

Pediatric Dermatology. Edited by L.A. Schachner and R.S. Hansen, 257

Photodermatologie et Phototherapie. By P. Thomas and P. Amblard, 256

Skin Disorders in the Elderly. Edited by B.E. Monk, R.A.C. Graham-Brown and I. Sarkany, 405

Vulvovaginal Candidosis—Theory and Practice. By W.Mendling, 258

Borreliosis, 439

Brazilian pemphigus, 29

compliment activation, 51

Bullous diseases

adjuvant therapy of bullous pemphigoid with dapsone, 132

comparisons of bullous lichen planus and lichen planus pemphigoides, 150

trauma-induced bullous pemphigoid, 245

HLA type, 283

lichen planus pemphigoides, 322

pemphigus foliaceus, 29

Brazililian pemphigus foliaceus, 51

impetigo herpetiformis, 82

Calcinosis cutis, 60

Cell markers, 35

for routine diagnostic dermatopathology, 177

Chronic granulomatous disease, 454

Clear-cell acanthomas, 300

Cock's peculiar tumour, 237

Colchicine

therapy in Behçet's syndrome, 298 erythema elevatum diutinum, 451

Complement

activation in Brazilian pemphigus foliaceus, 51

Connective tissue tumours, 72

Contact dermatitis

michievous metals—chromate, cobalt, nickel and mercury, 265

dermatitis in relation to carbon ligamentoplasty, 352

Corticosteroids

antipsoriatic effect of local corticosteroids, 137 corticosteroid-induced blood flow reduction, 210 metallothionein content in hairless mouse skin, 434 betamethasone dipropionate cream, 32

Crohn's disease, 79

Cryotherapy

multiple clear-cell acanthomas, 300 principles and simple practice, 1

Cutis marmorata, 369

Cyclosporin

resolution of atopic dermatitis, 243

Dactylitis, 380

Dermatology management, 7

Dermatomyositis, 304

Dermographism, 25

Diltiazem, 457

Discoid lupus erythematosus, 75

Dowling oration, 407

Eccrine glands

function in primary Sjögren's syndrome, 191

Epidermis

study of scale pattern and effects of moisturizer, 277

Epidermolytic hyperkeratosis, 313

Erythema ab igne, 168

Erythema elevatum diutinum, 451

Erythema gyratum repens, 223

Erythema multiforme, 230

Erysipelas 75

Fibrous dysplasia

associated with extensive linear epidermal naevi, 371

Flow cytometry

study of actinic reticuloid, 128

Follicular centre-cell lymphoma, 12 Follicular mucinosis, 382

Gangrene, 161

secondary to focal thrombosis, 387

Genetics, 313

bilateral segmental neurofibromatosis, 448 two sisters with impetigo herpetiformis, 82

Giant-cell tumour

of tendon sheath, 466

Haemodialysis, 289

Hair growth symposium, 85

Hair pigmentation

darkening of white hair in Parkinson's disease, 317

Hallermann-Strieff syndrome, 250

Herpes simplex

an electron microscopic study, 199

Herpes zoster 273

following spinal surgery, 56

Hidradenitis suppurativa

urethral fistula and sinus formation, 158

HLA, 283

Hypertrichosis, 62

Ichthyosis, 223

Immunopathology, 177

Immunotherapy, 154

Impetigo herpetiformis, 82

Infundibular keratosis, 145

Insulin, 227

Irritant dermatitis, 214

Itraconazole, 295

blastomycosis in Namibia successfully treated, 347

Juvenile spring eruption, 462

Kaposi's sarcoma, 223

Keratodermas

keratoderma palmoplantaris striata, 240 palmoplantar epidermolytic hyperkeratosis, 313

Keratoses

infundibular keratosis, 145 transient post-inflammatory digitate, 170 parakeratotic horns in a patient with Crohn's disease,

Langerhans cells, 206

in delayed skin reaction to inhalant allergens, 218

Larva migrans, 335

Leiner's disease

associated with metabolic acidosis, 364

Leser-Trélat, 253

Lichen planopemphigoides, 150

Lichen planus, 150 pemphigoides, 322

actinic, 65

Lymphocytoma, 181

Metallothionein, 434

Minoxidil

in treatment of male pattern baldness, 40

Mycobacterial infection sporotrichoid spread, 309

Mycology

first symposium on terbinafine, 95

comparing amorolfine cream with bifonazole cream,

dermatophyte onychomycosis in children, 203

cutaneous ulcers due to Candida albicans, 295 blastomycosis in Namibia, 347

culture of fungi on cyano-acrylate skin surface strip-

pings, 425

fungal kerion due to Microsporum canis, 442 onychomycosis caused by T. equinum, 464

mechanism of action of terbinafine, 98

In-vitro activity of terbinafine, 101

preclinical evaluation of terbinafine in vivo, 104

once-daily administration of terbinafine to guinea-pigs with experimental dermatophytosis, 108

clinical pharmacokinetics of terbinafine, 110

clinical efficacy of terbinafine in 629 Japanese patients

with dermatomycosis, 114

clinical efficacy and tolerability of terbinafine, 124 treatment of chronic tinea pedis with terbinafine, 116 treatment of Trichophyton rubrum onychomycosis with

oral terbinafine, 120

Naevi, 371

naevoid hypertrichosis, 62

Birt-Hogg-Dubé 72

Nail dystrophy

dermatophyte onychomycosis, 203

yellow-nail syndrome, 328

recurrent blistering distal dactylitis, 380 onychomycosis caused by T. equinum, 464

Neurofibromatosis, 448

Neutrophilic eccrine hidradenitis, 341

Parkinson's disease, 317

Pemphigoid

adjuvant therapy with dapsone, 132

traumatic-induced, 245

HLA type in bullous pemphigoid, 283

Phosphodiesterase, 186

Photodermatoses

actinic reticuloid, 128

actinic folliculitis, 69

actinic lichen planus, 65

Pityriasis rotunda, 325

Plasmapheresis, 304

Polyposis, 72

Prosser-White Oration, 265

Pseudoporphyria, 437

Psoriasis, 137

anti-psoriatic effect of semi-occlusive treatment, 286 short-term methotrexate administration, 291

PUVA treatment of psoriasis, 337

PUVA, 337

cutaneous and occular side-effects, 421

Pyoderma gangrenosum, 376

Reticulate acropigmentation, 302

Retinoids

erythema multiforme-like eruptions, 230

extensive spinal hyperostosis, 319

aphthous ulcers, 330

pseudoporphyia, 437

actinic folliclulitis, 69

Rhinophyma

and the Leser-Trélat sign, 253

Sarcoidosis, 173

Scleroderma, 161, 385, 439

Sjögren's syndrome, 191

Subcorneal pustular dermatosis, 165

Sweet's syndrome, 20

Terbinafine

first symposium, 95

the mechanism of action of terbinafine, 98

in-vitro activity, 101

preclinical evaluation in vivo, 104

once-daily administration to guinea-pigs with experimental dermatophytosis, 108

clinical pharmacokinetics, 110

efficacy in dermatomycosis, 114

efficacy in treatment of dermatomycoses, 124 treatment of chronic tinea pedis, 116

treatment of finger T. rubrum, 120

Therapy

first symposium on terbinafine, 95

of bullous pemphigoid with Dapsone, 132

comparing amorolfine cream with bifonazole cream,

treatment of peripheral gangrene due to systemic sclerosis, 161

atopic dermatitis treated with cyclosporin, 243

antipsoriatic effect of semi-occlusive treatment, 286 evaluation of D-Squame® tape compared with para-

meters of epidermal hydration, 277

short-term methotrexate, 291

colchicine therapy in Behçet's syndrome, 298 itraconazole treatment of cutaneous ulcers, 295

aphthous ulcers respond to etretinate, 330

PUVA treatment of psoriasis, 337

creeping eruption treated by albendazole, 355

5% benzoyl peroxide and 2% miconazole treatment for acne vulgaris, 357

response of follicular mucinosis to Dapsone, 382

PUVA treatment of symptomatic dermographism, 25 steroid responsive dermatoses treated with betamethasone dipropionate cream, 32

Thrombosis, 306, 387

Tropical disease, 355

study of the pathogenesis of subcutaneous infections,

Ulcerative colitis, 387

Ultrastructural studies, 199, 218, 390, 416, 47

Urticaria, 416

Yellow-nail syndrome, 328

Zinc, 434

zinc-induced granuloma, 227

Authors

ABDULLAH, A.N. and KECZKES, K. Behçet's syndrome with gastro-intestinal tract involvement mimicking carcinoma of the caecum—a case report, 459

ABDULLAH, A.N. and KECZKES, K. Cutaneous and ocular side-effects of PUVA photochemotherapy—a 10year follow-up study, 421

ABEL, J. see FRINGS, M.M.G.

AGNER, T. and SERUP, J. Quantification of the DMSOresponse—a test for assessment of sensitive skin, 214

AGUILAR MARTINEZ, A. see FERNÁNDEZ COGOLLUDO, E. AHMED, A.R. see JEFFES III, E.W.B.

AKAGI, Y. see TADA, J.

ALLAN, S.C. see HENG, M.C.Y.

ALLEGUE, F., ESPAÑA A., FERNANDEZ-GARCIA, J.M. and LEDO, A. Segmental neurofibromatosis with contralateral lentiginosis, 448

ALOI, F.G., MOLINERO, A. and PIPPIONE, M. Parakeratotic horns in a patient with Crohn's disease, 79

AMALGRO, M. see CASADO, M.

AMBROJO ANTUNEZ, P. see FERNÁNDEZ COGOLLUDO, E.

ARCHER, C.B., ELIAS, P.M., LOWE, N.J. and GRIFFITHS, W.A.D. Extensive spinal hyperostosis in a patient receiving isotretinoin—progression after 4 years of etretinate therapy, 319

ARCHER, C.B., SPITTLE, M.F. and SMITH, N.P. Kaposi's sarcoma in a homosexual—10 years on, 233

ASHWORTH, J. and BREATHNACH, S.M. Sarcoidosis presenting with multiple delled atrophic facial lesions, 173

ASSCHEMAN, H., GOOREN, L.J.G. and PEEREBOOM-WYNIA, J.D.R. Reduction in undesired sexual hair growth with Anandron in male-to-female transsexuals—experiences with a novel androgen receptor blocker, 361

BARTH, J.H. see TELFER, N.R.

BAZE, P.E. see JUHLIN, L.

BENN, I.J. see MAYOU, S.C.

BERTH-JONES, J. and HUTCHINSON, P.E. A family with palmoplantar epidermolytic hyperkeratosis, 313

BERTH-JONES, J. see MACPHERSON, A.

BERTH-JONES, J., NORRIS, P.G., GRAHAM-BROWN, R.A.C. and Burns, D.A. Juvenile spring eruption of the ears, 462

BHOGAL, B. see LAWLOR, F.

BIEBER, T., DANNENBERG, B., RING, J. and BRAUN-FALCO, O. Keratinocytes in lesional skin of atopic eczema bear HLA-DR, CD1a and IgE molecules, 35

BLACK, M.M. see MAYOU, S.C.

BLACK, M.M. see PARKER, S.C.

BLACK, M.M. see STEPHENS, C.J.M.

BLANC, D., SCHREIBER, M., RACADOT, E., KAHN, J.Y., FLESCH, M., VIENNET, G., LAB, M. and ZULTAK, M. Pyoderma grangrenosum in an allogenic bone marrow transplant recipient, 376

BLICHMANN, C. see SERUP, J. BORBUJO, J. see CASADO, M.

Bosi, A. see Pimpinelli, N. Braun-Falco, O. see Bieber, T.

Breathnach, A.S. see Lawlor, F.

BREATHNACH, S.M. see ASHWORTH, J.

Broby-Johansen, U. and Kristensen, J.K. Anti-psoriatic effect of semi-occlusive treatment—O₂-consumption, blood flow and temperature measurements compared to clinical parameters, 286

Broby-Johansen, U. and Kristensen, J.K. Antipsoriatic effect of local corticosteroids—O₂-consumption and blood flow measurements compared to clinical parameters, 137

BRYDEN, J.S. see COLVER, G.B.

BRYDEN, J.S. see FINLAY, A.Y. BUNKER, C.B. see ENGLISH, J.S.C.

BUNKER, C.B. see RUSTIN, M.H.A.

BUNKER, C.B. see RUSTIN, M.H.A.

BUNKER, C.B., SMITH, N.P., RUSSELL, R.C.G. and Dowd, P.M. Cock's peculiar tumour, 237

BURNS, D.A. see BERTH-JONES, J.

Burrows, D. Mischievous metals—chromate, cobalt, nickel and mercury, 265

BUXTON, P.K. see GAWKRODGER, D.J.

CAMPLEJOHN, R.S. see NORRIS, P.C.

CARABOTT, F.M. and HAWK, J.L.M. A modified dosage schedule for increased efficiency in PUVA treatment in psoriasis, 337

CARVALHO, M.R. see MESQUITA-GUIMARÃES, J.

CASADO, M., JIMINEZ-ACOSTA, F., BORBUJO, J., MARTI-NEZ, W., AMALGRO, M. and SOTO-MELO, J. Keratoderma palmoplantaris striata, 240

CASTRO, R.M. see OGAWA, M.M.

Cerio, R. and Wilson-Jones, E. New cell markers for routine diagnostic dermatopathology, 177

CHEVRANT-BRETON, J. see PIBOUIN, M.

CHO, KWANG HYUN, SHIN, KI SHIK, SOHN, SOOK JA, CHOI, SUNG JAE and LEE, YOO SHIN. Behçet's disease with Sweet's syndrome-like presentation—a report of six cases, 20

CHOI, SUNG JAE see CHO, KWANG HYUN

CLAYTON, Y.M. In vitro action of terbinafine, 101

COHEN, P.R. and GROSSMAN, M.E. Clinical features of human immunodeficiency virus-associated disseminated herpes zoster virus infection—a review of the literature, 273

COLVER, G.B., DAWBER, R.P.R. and BRYDEN, J.S. Cryosurgery—the principles and simple practice, 1

COTTERILL, P. see RUSHTON, D.H.

COULSON, I.H. see HOLDEN, C.A.

Cox, N.H. and INCE, P. Transient post-inflammatory digitate keratoses, 170

Cox, N.H., McLure, J.P. and Hardie, R.A. Naevoid hypertrichosis—report of a patient with multiple lesions, 62

CRONIN, E. see MURPHY, G.M.

CROSSLEY, J. see JONES, S.K.

CROSSLEY, J. see REYNOLDS, N.J.

CURLEY, R.K. see STAPLETON, S.R.

DANNENBERG, B. see BIEBER, T.

DAVID, M., SANDBANK, M. and LOWE, N.J. Erythema multiforme-like eruptions associated with etretinate therapy, 230

DAWBER, R.P.R. see COLVER, G.B.

DAWBER, R.P.R. see FINLAY, A.Y.

DAWBER, R.P.R. see TELFER, N.R.

DE MESSIAS, I.T., SANTAMARIA, J., RAGIOTTO, R., DOI, E.M. and KAJDACSY-BALLA, A.K. Complement activation in Brazilian pemphigus foliaceus, 51

DE RAEYMAECKER, D.M.J. see DE WAARD-VAN DER SPEK, F.B.

DE WAARD-VAN DER SPEK, F.B., ORANJE, A.P., DE RAEYMAECKER, D.M.J. and PEEREBOOM-WYNIA, J.D.R. Juvenile versus maturity-onset alopecia areata—a comparative retrospective clinical study, 429

DEKIO, S., TSUKAZAKI, N. and JIDOI, J. Idiopathic calcinosis of the scrotum presenting as a solitary pedunculated tumour, 60

Doi, E.M. see De Messias, I.T.

DOWD, P.M. see BUNKER, C.B. DOWD, P.M. see ENGLISH, J.S.C.

Down, P.M. see Rustin, M.H.A.

DRUMMOND, L.M. see KENT, A.

DUVENAGE, M. see FINDLAY, G.H.

EK, L., LINDELÖF, B. and LIDÉN, S. The duration of Grenz ray-induced suppression of allergic contact dermatitis and its correlation with the density of Langerhans cells in human epidermis, 206

ELIAS, P.M. see ARCHER, C.B.

ENGLISH, J.S.C., BUNKER, C.B., RUTHVEN, K., DOWD, P.M. and GREAVES, M.W. A double-blind comparison of the efficacy of betamethasone dipropionate cream twice daily versus once daily in the treatment of steroid responsive dermatoses, 32

ENGLISH, J.S.C., SMITH, N.P., SPAULL, J., WILSON-JONES, E. and WINKELMANN, R.K. Large cell lymphocytoma—a clinicopathological study, 181

ESPAÑA, A. see ALLEGUE, F.

FARRANT, J.M., JUDGE, M. and THOMPSON, R.P.H. Thrombotic cutaneous nodules and hepatic vein thrombosis in the anticardiolipin syndrome, 306 FRAZIER, J. see HENG, M.C.Y. FENTON, D.A. see PARKER, S.C.

FERGUSON, I. see REYNOLDS, N.J.

FERNÁNDEZ COGOLLUDO, É., AMBROJO ANTUNEZ, P., AGUILAR MARTÍNEZ, A., PEÑA PAYERO, M.L. and SÁNCHEZ YUS, E. Neutrophilic eccrine hidradenitis—a report of two additional cases, 341

FERNANDEZ-GARCIA, J.M. see ALLEGUE, F.

FINDLAY, G.H. and DUVENAGE, M. Acquired symmetrical lipomatosis of the hands—a distal form of the Madelung-Launois-Bensaude syndrome, 58

FINLAY, A.Y. see MOTLEY, R.J.

FINLAY, A.Y., DAWBER, R.P.R. and BRYDEN, J.S. Integrated in-patient and out-patient dermatology management

FLESCH, M. see BLANC, D.

FLORES, V. see GALIMBERTI, R.L.

FRINGS, M.M.G., KIND, P.P., GOERZ, G. and ABEL, J.
The effect of topically applied corticosteriods and
zinc on the metallothionein content of skin in an
experimental model, 434

FUKJIWARA, Y. see TADA, J. FUKUSHIRO, S. see TADA, J.

GALIMBERTI, R.L., FLORES, V., GONZALEZ RAMOS, M.C. and VILLALBA, L.I. Cutaneous ulcers due to Candida albicans in an immunocompromised patient—response to therapy with itraconazole, 295

GARIOCH, J.J., RASHID, A., THOMSON, J. and SEYWRIGHT, M. The relevance of elevated *Borrelia burgdorferi*

titres in localized scleroderma, 439

GAWKRODGER, D.J., STAVROPOULOS, P.C., McLAREN, K.M. and BUXTON, P.K. Bullous lichen planus and lichen planus pemphigoides—clinico-pathological comparisons, 150

GIANNOTTI, B. see PIMPINELLI, N. GIANOTTI, G. see RONGIOLETTI, F.

GILKES, J.J.H. see RUSTIN, M.H.A.

GOERZ, G. see FRINGS, M.M.G.

GONZALEZ RAMOS, M.C. see GALIMBERTI, R.L.

GONZÁLEZ-LASTRA, F. see DEL PALACIO-HERNANZ, A. GOODFIELD M.J.B. and ROWELL, N.R. Treatment of peripheral gangrene due to systemic sclerosis with intravenous pentoxifylline, 161

GOODYEAR, H.M. and HARPER, J.I. Leiner's disease associated with metabolic acidosis, 364

GOOREN, L.J.G. see ASSCHEMAN, H.

GOURAUD-DURAND, B. see PIBOUIN, M.

GRAHAM-BROWN, R.A.C. see BERTH-JONES, J.

Graham-Brown, R.A.C. see MacPherson, A. Graham-Brown, R.A.C. see Milligan, A.

GRATTAN, C.E.H., LIDDLE, B.J. and WILLSHAW, H.E. Atrophic alopecia in the Hallermann-Strieff syndrome, 250

GREAVES, M.W. see ENGLISH, J.S.C.

GREAVES, M.W. see LAWLOR, F. GREAVES, M.W. see LOGAN, R.A. GRIFFITHS, W.A.D. see ARCHER, C.B.

GRIFFITHS, W.A.D. see MURPHY, G.M.

GROSSMAN, M.E. see COHEN, P.R.

HARDIE, R.A. see Cox, N.H.

HARPER, J.I. see GOODYEAR, H.M. HARPER, I.I. see NICHOLLS, D.S.H.

HARRINGTON, C.I. see McDonagh, A.J.G.

HARRISON, P.V., ORRELL, D.H., JAMES, R., PEAT, M. and STONES, R.N. Short-term methotrexate administration by low-dose infusion—does it influence clearance of psoriasis?, 291

HASHIMOTO, T. see OGAWA, M.M.

HAWK, J.L.M. see CARABOTT, F.M.

HAWK, J.L.M. see NORRIS, P.C.

HAWK, J.L.M. see Norris, P.G.

HAY, R.J. A thorn in the flesh—a study of the pathogenesis of subcutaneous infections, 407

HAY, R.J. see STEPHENS, C.J.M. HAZINI, R. see RONGIOLETTI, F.

HENG, M.C.Y., ALLAN, S.C., HENG, S.Y., MATSUYAMA, R. and FAZIER, J. An electron microscopic study of the epidermal infiltrate in recurrent herpes simplex, 199

HENG, S.Y. see HENG, M.C.Y.

HENRIKSSON, R., HOFER, P.-A. and HÖRNQVIST, R. Erythema elevatum diutinum—a case successfully treated with colchicine, 451

HODAK, E. see SEGAL, R.

HOFER, P.-A. see HENRIKSSON, R.

HOLDEN, C.A., YUEN, C.-T. and COULSON, I.H. The effect of in vitro exposure to histamine on mononuclear leucocyte phosphodiesterase activity in atopic dermatitis, 186

HOLT, P. see IRVINE, C.

HOLT, P.J.A. see MOTLEY, R.J.

HÖRNQVIST, R. see HENRIKSSON, R.

HULL, D. see NAJEM, N.

HUNTER, A.M. see LODGE, J.P.A.

HUTCHINSON, P.E. see BERTH-JONES, J.

IIZUKA, H. see ISHIDA-YAMAMOTO, A.

INCE, P. see Cox, N.H.

IRVINE, C. & HOLT, P. Hand venous hypertension complicating arterio-venous fistula construction for haemodialysis, 289

ISAACS, J.L. see LAWLOR, F.

ISHIDA-YAMAMOTO, A. and IIZUKA, H. Infundibular keratosis—a prototype of benign infundibular tumours, 145

JACOMY, L.P. see PIBOUIN, M. JAMES, K.C. see RUSHTON, D.H.

JAMES, R. see HARRISON, P.V.

JEFFES, III, E.W.B. and AHMED, A.R. Adjuvant therapy of bullous pemphigoid with dapsone, 132

JENSEN, J.C. Clinical pharmacokinetics of terbinafine (Lamisil), 110

JIDOI, J. see DEKIO, S.

JIMINEZ-ACOSTA, F. see CASADO, M.

JONES, S.K., REYNOLDS, N.J., CROSSLEY, J. and KEN-NEDY, C.T.C. Cutaneous reaction to diltiazem resulting in an exacerbation of angina, 457

JONES, T.C. see VILLARS, V.

JORDAAN, H.F. and SANDLER, M. Zinc-induced granuloma—a unique complication of insular therapy, 227

JORDAAN, H.F. Blastomycosis in Namibia—report of a case successfully treated with itraconazole, 347

JUDGE, M. see FARRANT, J.M.

JUHLIN, L., LACOUR, J.P., LARROUY, J.C., BAZE, P.E. and ORTONNE, J.P. Episodic erythema gyratum repens with ichthyosis and palmoplantar hyperkeratosis without signs of intrenal malignancy, 223

KAGAWA, S. Clinical efficacy of terbinafine in 629 Japanese patients with dermatomycosis, 114

KAHN, J.Y. see BLANC, D.

KAJDACSY-BALLA, A.K. see DE MESSIAS, I.T.

KAUR, S. see SHARMA, R.

KECZKES, K. see ABDULLAH, A.N.

KECZKES, K. see MUZULU, S.I.

Keefe, M., Wakeel, R.A. and Kerr, R.E.I. Erysipelas complicating chronic discoid lupus erythematosus of the face—a case report and review of erysipelas, 75

KENNEDY, C.T.C. see JONES, S.K.

KENT, A. and DRUMMOND, L.M. Acne excoriée—a case report of treatment using habit reversal, 163

KERR, R.E.I. see KEEFE, M.

KIND, P.P. see FRINGS, M.M.G.

KINGSLEY, P. see RUSHTON, D.H.

KOBZA BLACK, A. see LAWLOR, F.

KODAMA, H. see TADA, J.

KOERTEN, H.K. see PEEREBOOM-WYNIA, J.D.R.

KRISTENSEN, J.K. see BROBY-JOHANSEN, U.

KRISTENSEN, J.K. see BROBY-JOHANSEN, U.

KRISTENSEN, J.K. see PETERSEN, L.J.

LAB, M. see BLANC, D.

LACOUR, J.P. see JUHLIN, L.

LANCIEN, G. see PIBOUIN, M.

LARROUY, J.C. see JUHLIN, L.

LAWLOR, F., KOBZA BLACK, A., BREATHNACH, A.S., MCKEE, P., SARATHCHANDRA, P., BHOGAL, B., ISAACS, J.L., GREAVES, M.W. and WINKELMANN, R.K. A timed study of the histology, direct immu-

nofluorescence and ultrastructural findings in idiopathic cold-contact urticaria over a 24-h period, 416

LEDO, A. see ALLEGUE, F.

LEE, YOO SHIN see CHO, KWANG HYUN

LEIGH, I.M. see MURDOCH, M.E.

LEVENE, G.M. see RUSTIN, M.H.A.

LEVER, R. see WILLIAMS, R.E.A.

LIDDLE, B.J. see GRATTAN, C.E.H.

LIDÉN, S. see EK, L.

LINDELÖF, B. see EK, L.

LODGE, J.P.A., HUNTER, A.M. and SAUNDERS, N.R. Yellow nail syndrome associated with empyema, 328

LOGAN, R.A., O'BRIEN, T.J. and GREAVES, M.W. The effect of psoralen photochemotherapy (PUVA) on symptomatic dermographism, 25

LOPÉZ-GOMÉZ, S. see DEL PALACIO-HERNANZ, A.

Lowe, N.J. see Archer, C.B.

LOWE, N.J. see DAVID, M.

MACFARLANE, A.W. and VERBOV, J.L. Trauma-induced bullous pemphigoid, 245

MACFARLANE, A.W. A case of actinic lichen planus, 65
MACPHERSON, A., BERTH-JONES, J. and GRAHAM-BROWN,
R.A.C. Carcinoma-associated dermatomyositis responding to plasmapheresis, 304

MARTINEZ, W. see CASADO, M.

MATSUYAMA, R. see HENG, M.C.Y.

MAYOU, S.C., BENN, J.J., SONKSEN, P.H. and BLACK, M.M. Paraneoplastic rhinophyma and the Leser– Trélat sign, 253

McDonagh, A.J.G. and Harrington, C.I. Pseudoporphyria complicating etretinate therapy, 437

McGibbon, D.H. see Stephens, C.J.M.

McKee, P. see Lawlor, F.

McLaren, K.M. see Gawkrodger, D.J.

McLure, J.P. see Cox, N.H.

MESQUITA-GUIMARAES, J., RAMON, S., TAVARES, M.R. and CARVALHO, M.R. A double-blind clinical trial with a lotion containing 5% benzoyl peroxide and 2% miconazole in patients with acne vulgaris, 357

MESSORI, A. see PIMPINELLI, N.

MIDGLEY, G. see NICHOLLS, D.S.H.

MIETH, H. and PETRANYI, G. Preclinical evaluation of terbinafine in vivo, 104

MILLIGAN, A. and GRAHAM-BROWN, R.A.C. Erythema ab igne affecting the palms, 168

MOLINERO, A. see ALOI, F.G.

MONK, B. Induction of hair growth in alopecia totalis with diphencyprone sensitization, 154

MONK, B. see WILLIAMS, H.C.

MORENO-PALANCAR, P. see DEL PALACIO-HERNANZ, A.

MORETTI, S. see PIMPINELLI, N.

MOTLEY, R.J. and FINLAY, A.Y. How much disability is caused by acne?, 194

MOTLEY, R.J., WHITTAKER, J.A. and HOLT, P.J.A. Resolution of atopic dermatitis in a patient treated with cyclosporin, 243

MURDOCH, M.E. and LEIGH, I.M. Sporotrichoid spread of cutaneous *Mycobacterium chelonei* infection, 309

MURPHY, G.M. and CRONIN, E. Lichen planus pemphigoides, 322

Murphy, G.M. and Griffiths, W.A.D. Aphthous ulcers responding to etretinate—a case report, 330

MURPHY, G.M. and GRIFFITHS, W.A.D. Subcorneal pustular dermatosis. 165

MUZULU, S.I., WALTON, S. and KECZKES, K. Chronic granulomatous disease—a case showing long-term survival, 454

Muzulu, S.I., Walton, S. and Keczkes, K. Colchicine therapy in Behçet's syndrome—a report of five cases, 298

NAJEM, N. and HULL, D. Langerhans cells in delayed skin reactions to inhalent allergens in atopic dermatitis an electron microscopic study, 218

NEWTON, I.A. see NORRIS, P.C.

NICHOLLS, D.S.H. and HARPER, J.I. Cutis marmorata telangiectata congenita with soft-tissue herniations on the lower legs, 369

NICHOLLS, D.S.H. and MIDGLEY, G. Onychomycosis caused by *Trichophyton equinum*, 464

NISHIKAWA, T. see OGAWA, M.M.

NOHARA, N. see TADA, J.

Norris, P.C., Newton, J.A., Camplejohn, R.S. and Hawk, J.L.M. A flow cytometric study of actinic reticuloid, 128

Norris, P.G. and Hawk, J.L.M. Actinic folliculitis response to isotretinoin, 69

NORRIS, P.G. see BERTH-JONES, J.

O' BRIEN, T.J. see LOGAN, R.A.

OGAWA, M.M., HASHIMOTO, T., NISHIKAWA, T. and CASTRO, R.M. IgG subclasses of intercellular anti-bodies in Brazilian pemphigus foliaceus—the relationship to complement fixing capacity, 29

ORANJE, A.P. see DE WAARD-VAN DER SPEK, F.B.

ORRELL, D.H. see HARRISON, P.V.

ORTONNE, J.P. see JUHLIN, L.

PAL, B. see REES, J.L.

PARKER, S.C., FENTON, D.A. and BLACK, M.M. Sclerederma, 385

DEL PALACIO-HERNANZ, A., LOPÉZ-GOMÉZ, S., MORENO-PALANCAR, P. and GONZÁLEZ-LASTRA, F. A clinical double-blind trial comparing amorolfine cream 0.5% (RO-14-4767) with bifonazole cream 1% in the treatment of dermatomycoses, 141

PEACHEY, R.D.G. see REYNOLDS, N.J.

PEAT, M. see HARRISON, P.V.

PEEREBOOM-WYNIA, I.D.R. see ASSCHEMAN, H.

PEEREBOOM-WYNIA, J.D.R. see DE WAARD-VAN DER SPEK, F.B.

Peereboom-Wynia, J.D.R., Koerten, H.K., Van Joost, Th., Stolz, E. and Sarkany, I. Scanning electron microscopy comparing exclamation mark hairs in alopecia areata with normal hair fibres, mechanically broken by traction, 47

PEÑA PAYERO, M.L. see FERNÁNDEZ COGOLLUDO, E.

Petersen, L.J. and Kristensen, J.K. Time-course of corticosteroid-induced blood flow reduction in normal cutaneous tissue—quantitative measurements during 72 h of treatment, 210

PETRANYI, G. see MIETH, H.

PHILPOT, C.M. and SHUTTLEWORTH, D. Dermatology onychomycosis in children, 203

PIBOUIN, M., JACOMY, L.P., GOURAUD-DURAND, B., LANCIEN, G. and CHEVRANT-BRETON, J. Eczematous dermatitis in relation to carbon ligamentoplasty, 352

PIÉRARD, G.E. see RURANGIRWA, A.

PIÉRARD-FRANCHIMONT, C. see RURANGIRWA, A.

PIMPINELLI, N., SANTUCCI, M., BOSI, A., MORETTI, S., VALLECCHI, C., MESSORI, A. and GIANNOTTI, B. Primary cutaneous follicular centre-cell lymphoma—a lymphoproliferative disease with favourable prognosis, 12

PIPPIONE, M. see ALOI, F.G.

RACADOT, E. see BLANC, D.

RADOTRA, B.D. see SHARMA, R. RAGIOTTO, R. see DE MESSIAS, I.T.

RAMON, S. see MESQUITA-GUIMARAES, I.

RASHID, A. see GARIOCH, J.J.

REBORA, A. see RONGIOLETTI, F.

Rees, J.L. and Pal, B. Stimulated eccrine gland function in primary Sjögren's syndrome, 191

REYNOLDS, N.I. see IONES, S.K.

REYNOLDS, N.J., CROSSLEY, J., FERGUSON, I. and PEA-CHEY, R.D.G. Darkening of white hair in Parkinson's disease, 317

RING, J. see BIEBER, T.

ROBINSON, T.W.E. see RUSTIN, M.H.A.

RONGIOLETTI, F., HAZINI, R., GIANOTTI, G. and REBORA, A. Fibrofolliculomas, tricodiscomas and acrochordons (Birt-Hogg-Dubé) associated with intestinal polyposis, 72

ROWELL, N.R. see GOODFIELD, M.J.D.

RURANGIRWA, A., PIÉRARD-FRANCHIMONT, C. and PIÉR-ARD, G.E. Culture of fungi on cyanoacrylate skin surface strippings—a quantitative bioassay for evaluating antifungal drugs, 425

RUSHTON, D.H., UNGER, W.P., COTTERILL, P., KINGSLEY, P. and JAMES, K.C. Quantitative assessment of 2% topical minoxidil in the treatment of

male pattern baldness, 40

RUSSELL, R.C.G. see BUNKER, C.B.

RUSTIN, M.H.A. and ROBINSON, T.W.E. Giant-cell tumour of the tendon sheath—an uncommon tumour presenting to dermatologists, 466

RUSTIN, M.H.A., BUNKER, C.B. and LEVENE, G.M. Follicular mucinosis presenting as acute dermatitis

and response to dapsone, 382

RUSTIN, M.H.A., BUNKER, C.B., GILKES, J.J.H., ROBIN-SON, T.W.E. and Down, P.M. Polyostotic fibrous dysplasia associated with extensive linear epidermal naevi, 371

RUTHVEN, K. see ENGLISH, I.S.C.

RYDER, N.S. The mechanism of action of terbinafine, 98

SÁNCHEZ YUS, E. see FERNÁNDEZ COGOLLUDO, E.

SANDBANK, M. see DAVID, M.

SANDBANK, M. see SEGAL, R.

SANDLER, M. see JORDAAN, H.F.

SANTAMARIA, J. see DE MESSIAS, I.T.

SANTUCCI, M. see PIMPINELLI, N.

SARATHCHANDRA, P. see LAWLOR, F.

SARKANY, I. see PEEREBOOM-WYNIA, I.D.R.

SAUNDERS, N.R. see LODGE, J.P.A.

SAVIN, R. Successful treatment of chronic tinea pedis (moccasin type) with terbinafine (Lamisil), 116

SCHREIBER, M. see BLANC, D.

SEGAL, R., HODAK, E. and SANDBANK, M. Pityriasis rotunda in a Caucasian woman from the Mediterranean area, 325

SERRANO, L. see ZAIAS, N.

SERUP, J., WINTHER, A. and BLICHMANN, C. A simple method for the study of scale pattern and effects of a moisturizer-qualitative and quantitative evaluation by D-Squame® tape compared with parameters of epidermal hydration, 277

SERUP, I. see AGNER, T.

SEYWRIGHT, M. see GARIOCH, I.I.

SEYWRIGHT, M. see WILLIAMS, R.E.A.

SHARMA, R., SHARMA, S.C., RADOTRA, B.D. and KAUR, S. Reticulate acropigmentation of Kitamura, 302

SHARMA, S.C. see SHARMA, R.

SHIN, KI SHIK see CHO, KWANG HYUN

SHUTTLEWORTH, D. A localized, recurrent pustular eruption following amoxycillin administration, 367

SHUTTLEWORTH, D. see PHILPOT, C.M.

SIMPSON, W.A. see STAPLETON, S.R.

SMITH, N.P. see ARCHER, C.B.

SMITH, N.P. see BUNKER, C.B.

SMITH, N.P. see ENGLISH, J.S.C.

SOHN, SOOK JA see CHO, KWANG HYUN

SONKSEN, P.H. see MAYOU, S.C.

SOTO-MELO, J. see CASADO, M.

SPAULL, J. see ENGLISH, J.S.C. SPITTLE, M.F. see ARCHER, C.B.

STAPLETON, S.R., CURLEY, R.K. and SIMPSON, W.A.

Cutaneous gangrene secondary to focal thrombosis-an important cutaneous manifestation of ulcerative colitis, 387

STAVROPOULOS, P.C. see GAWKRODGER, D.I.

STEPHENS, C.J.M. and McGIBBON, D.H. Algodystrophy (reflex sympathetic dystrophy) complicating unilateral acrodermatitis continua, 445

STEPHENS, C.I.M., HAY, R.I. and BLACK, M.M. Fungal kerion-total scalp involvement due to Microsporum canis infection, 652

STOLZ, E. see PEEREBOOM-WYNIA, I.D.R.

STONES, R.N. see HARRISON, P.V.

TADA, J., FUKUSHIRO, S., FUJIWARA, Y., AKAGI, Y., KODAMA, H. and NOHARA, N. Two sisters with impetigo herpetiformis, 82

TAVARES, M.R. see MESQUITA-GUIMARÃES, J.

TAYLOR, C. I. see VENNING, V.A.

TELFER, N.R., BARTH, I.H. and DAWBER, R.P.R. Recurrent blistering distal dactylitis of the great toe associated with an ingrowing toenail, 380

THOMPSON, R.P.H. see FARRANT, I.M.

THOMSON, J. see GARIOCH, J.J.

TING, A. see VENNING, V.A.

TSUKAZAKI, N. see DEKIO, S.

UCHIDA, K. see YAMAGUCHI, H. UNGER, W.P. see RUSHTON, D.H.

VALLECCHI, C. see PIMPINELLI, N.

VAN JOOST, TH. see PEEREBOOM-WYNIA, J.D.R.

VENNING, V.A., TAYLOR, C.J., TING, A. and WOJNA-ROWSKA, F. HLA type in bullous pemphigoid, cicatricial pemphigoid and linear IgA disease, 283

VERBOY, I.L. see MACFARLANE, A.W.

VIENNET, G. see BLANC, D.

VILLALBA, L.I. see GALIMBERTI, R.L.

VILLARS, V. and JONES, T.C. Clinical efficacy and tolerability of terbinafine (Lamisil)-a new topical and systemic fungicidal drug for treatment of dermatomycoses, 124

WAKEEL, R.A. see KEEFE, M.

WALTON, S. see MUZULU, S.I.

Weiss, R. Herpes zoster following spinal surgery, 56

WHITTAKER, J.A. see MOTLEY, R.J.

WILLIAMS, H.C. and MONK, B. Creeping eruption stopped in its tracks by albendazole, 355

WILLIAMS, R.E.A., LEVER, R. and SEYWRIGHT, M. Multiple clear cell acanthomas—treatment by cryotherapy, 300

WILLSHAW, H.E. see GRATTAN, C.E.H.

WILSON-JONES, E. see CERIO, R.

WILSON-JONES, E. see ENGLISH, J.S.C.

WINKELMANN, R.K. see ENGLISH, J.S.C.

WINKELMANN, R.K. see LAWLOR, F. WINTHER, A. see SERUP, J. WOJNAROWSKA, F. see VENNING, V.A.

YAMAGUCHI, H. and UCHIDA, K. Once daily administration of terbinafine to guinea-pigs with experimental dermatophytosis, 108 YUEN, C.-T. see HOLDEN, C.A.

terbinafine, 120 ZULTAK, M. see BLANC, D.

ZAIAS, N. and SERRANO, L. The successful treatment of finger Trichophyton rubrum onychomycosis with oral

